ELSEVIER

Chemical Engineering Journal 79 (2000) 235

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 79

Alexandrova, S. 155
Al-Hassan, M. 41
Al-Qodah, Z. 41
Amornraksa, S. 165

Barber, A.D. 83
Barnes, H.A. 84
Biscans, B. 123
Bleha, M. 211
Bogle, I.D.L. 84
Boyadzhiev, L. 155

Castillo, F.J.L. 219
Chaouki, J. 133
Clarinval, A.-M. 197
Cui, H. 133

Degrez, M. 197
Delvaux, A. 197
Devotta, I. 73

Elyashevich, G.K. 211
Estel, L. 155

Fořt, I. 79
Fujiwara, T. 53

García-Sánchez, F. 87

Hernández-Garduza, O. 87
Hurwitz, H.D. 197

Janssen, L.J.J. 187

Kazdobin, K. 203
Kiranoudis, C.T. 1
Kobylka, L.C. 219
Krokida, M.K. 1
Krýsa, J. 179
Kubota, N. 53

Le Bolay, N. 31
Lee, S.C. 61

Marrero-Morejón, J. 69
Marrot, B. 123
Masiuk, S. 23
Molina-Boisseau, S. 31
Mostoufi, N. 133
Mouhab, N. 155

Neau, E. 87
Nekovář, P. 229
Njau, K.N. 187

Östergren, K.C.E. 103

Paladino, O. 13
Paquay, E. 197
Pardillo-Fontdevila, E. 69
Patrick, M.A. 179
Pohjola, V.J. 113
Pons, M.-N. 123

Rai, C.L. 73
Rao, P.G. 73
Ratto, M. 13
Rieger, F. 171
Rogalski, M. 87
Rosova, E. 211

Saboni, A. 155
Saito, N. 53
Schrötterová, D. 229
Shvab, N. 203

Tanskanen, J. 113
Thomas, D.M. 179
Tishchenko, G. 211
Trägårdh, C. 81, 103
Tsapakh, S. 203

Visser, G.J. 187

Wasylkiewicz, S.K. 219
White, D.A. 165
Woude, M. vd. 187
Wragg, A.A. 179

Yokota, M. 53

Zheng, Y. 145
Zhu, J.-X. 145

1385-8947/00/$ – see front matter © 2000 Elsevier Science S.A. All rights reserved.
PII: S1385-8947(00)00228-X

ELSEVIER

Chemical Engineering Journal 79 (2000) 237–239

Chemical Engineering Journal

www.elsevier.com/locate/cej

Subject Index of Volume 79

Acid pickling
Applications of electrodialysis for acid pickling wastewater treatment, 197
Activity coefficient model
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
Agitator speed
Effect of particle content on agitator speed for off-bottom suspension, 171
Attrition
Identification of impact attrition mechanisms in solution by morphological analysis, 123
Azeotropic distillation
Optimal design of complex azeotropic distillation columns, 219

Batch sedimentation
Batch sedimentation of magnetic flocs in a magnetic field, 165

Catalytic distillation
Cancellation of heat effects in catalytic distillation, 113
Chromatography
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
Circulating fluidized bed
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
Column efficiency
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
Composition profile
Cancellation of heat effects in catalytic distillation, 113
Compression
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
Continuous extraction
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
Coupled beta distribution
Characterization of dynamic gas–solid distribution in fluidized beds, 133
Cracks
Identification of impact attrition mechanisms in solution by morphological analysis, 123
Crystal purity
Liquid inclusions in crystals produced in suspension crystallization, 53
Crystallisation
Identification of impact attrition mechanisms in solution by morphological analysis, 123
CSTR model
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13

Design
Scaling-up of fluidized-bed electrochemical reactors, 203
Diffusion permeability
Porosity of microporous polyethylene membranes modified with polypyrrole and their diffusion permeability to low-molecular weight substances, 211
Dispersion
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
Distillation column
Optimal design of complex azeotropic distillation columns, 219
Dynamic two-phase structure
Characterization of dynamic gas–solid distribution in fluidized beds, 133

Electrochemical removal
Electrochemical removal of nickel ions from industrial wastewater, 187
Electrode
Scaling-up of fluidized-bed electrochemical reactors, 203
Electrodialysis
Applications of electrodialysis for acid pickling wastewater treatment, 197
Emulsion liquid membrane
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
Equation of state
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
Extraction
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229

Flow field
Characterization of hydrodynamic dispersion in a chromatographic column under compression, 103
Fluidization
Characterization of dynamic gas–solid distribution in fluidized beds, 133
Fluidized bed dryers
Pareto design of fluidized bed dryers, 1
Fluidized-bed
Scaling-up of fluidized-bed electrochemical reactors, 203
Free convective mass transfer
Free convective mass transfer in open upward-facing cylindrical cavities, 179

Gas–solid distribution
Characterization of dynamic gas–solid distribution in fluidized beds, 133
Grinding
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
Group-contribution methods
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69

1385-8947/00/$ – see front matter © 2000 Elsevier Science S.A. All rights reserved.
PII: S1385-8947(00)00229-1

Group-interaction contribution
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69

Heat effects
Cancellation of heat effects in catalytic distillation, 113
Heat transfer rates
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
Helical ribbon agitator
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
Hydrometallurgy
Scaling-up of fluidized-bed electrochemical reactors, 203

Image analysis
Identification of impact attrition mechanisms in solution by morphological analysis, 123
Impeller
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
Industrial wastewater
Electrochemical removal of nickel ions from industrial wastewater, 187
Isomers
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69

Kinetic constants
Récupération de substances par pertraction à films tournants, 155
Kinetics
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31

Limiting diffusion current technique
Free convective mass transfer in open upward-facing cylindrical cavities, 179
Linearized theory
Cancellation of heat effects in catalytic distillation, 113
Liquid inclusion
Liquid inclusions in crystals produced in suspension crystallization, 53
Liquid–solids fluidization
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
Local gas holdup
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41

Magnetic flocs
Batch sedimentation of magnetic flocs in a magnetic field, 165
Magnetic stabilization
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
Magnetically stabilized beds
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
Mass transfer
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
Mathematical modeling
Pareto design of fluidized bed dryers, 1
Maximum solids circulation rate
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
Mixing
Mixing time for a reciprocating plate agitator with flapping blades, 23
Mixing time
Mixing time for a reciprocating plate agitator with flapping blades, 23
Molybdenum
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
Monte Carlo method
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
Morphology
Identification of impact attrition mechanisms in solution by morphological analysis, 123
Multicomponent mass transfer
Cancellation of heat effects in catalytic distillation, 113
Multiobjective optimization
Pareto design of fluidized bed dryers, 1

Newtonian and non-Newtonian fluids
Heat transfer to viscous Newtonian and non-Newtonian fluids using helical ribbon agitator, 73
Nickel ions
Electrochemical removal of nickel ions from industrial wastewater, 187
Noise
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13

Off-bottom suspension
Effect of particle content on agitator speed for off-bottom suspension, 171
Open vertical cavities
Free convective mass transfer in open upward-facing cylindrical cavities, 179
Operation window
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145
Optimal surfactant composition
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
Optimization
Optimal design of complex azeotropic distillation columns, 219
Oxidative polymerization
Porosity of microporous polyethylene membranes modified with polypyrrole and their diffusion permeability to low-molecular weight substances, 211

Pareto design
Pareto design of fluidized bed dryers, 1
Penicillin G
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61
Pertraction
Récupération de substances par pertraction à films tournants, 155
Phase holdups
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
PI controlled CSTR
Analysis of controlled CSTR models with fluctuating parameters and uncertain parameters, 13
Polypyrrole/polyethylene membranes
Porosity of microporous polyethylene membranes modified with polypyrrole and their diffusion permeability to low-molecular weight substances, 211
Polystyrene
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
Potassium chloride
Liquid inclusions in crystals produced in suspension crystallization, 53
Pressure balance
Overall pressure balance and system stability in a liquid–solid circulating fluidized bed, 145

Primary amine primene JMT
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
Probability distribution model
Characterization of dynamic gas–solid distribution in fluidized beds, 133

Reactive distillation
Cancellation of heat effects in catalytic distillation, 113
Reciprocating plate agitator
Mixing time for a reciprocating plate agitator with flapping blades, 23
Rotating Film
Récupération de substances par pertraction à films tournants, 155

Scaling factor
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
Size reduction
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
Sodium chloride
Liquid inclusions in crystals produced in suspension crystallization, 53
Suspension crystallization
Liquid inclusions in crystals produced in suspension crystallization, 53
Swelling
Continuous extraction of penicillin G by emulsion liquid membranes with optimal surfactant compositions, 61

Three-phase airlift reactor
Phase holdup and gas-to-liquid mass transfer coefficient in magneto stabilized G-L-S airlift fermenter, 41
Tungsten
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229

Vanadium
Extraction of V(V), Mo(VI) and W(VI) polynuclear species by primene JMT, 229
Vapor–liquid equilibria
Equation of state associated with activity coefficient models to predict low and high pressure vapor–liquid equilibria, 87
Vibrated mill
Size reduction of polystyrene in a shaker bead mill—kinetic aspects, 31
Viscosity prediction
Estimation of liquid viscosity at ambient temperature of pure organic compounds by using group-interaction contributions, 69
Volumetric particle content
Effect of particle content on agitator speed for off-bottom suspension, 171

Waste treatment
Scaling-up of fluidized-bed electrochemical reactors, 203
Wastewater treatment
Applications of electrodialysis for acid pickling wastewater treatment, 197
Water treatment
Batch sedimentation of magnetic flocs in a magnetic field, 165